



Competitive Comparison

TOYOTA

MODELS



PACKAGE Standard Package

Double Cab SR 4X2 Long Bed

PACKAGE Standard Package



PACKAGE

Standard Package

L→ SR5

SR5 TRD Sport

SR5 TRD Off Road



Standard Package

Double Cab Limited

PACKAGE Standard Package

AVAILABLE EXTERIOR COLOURS

White

Celestial Silver Metallic

Army Green

Wind Chill Pearl

Midnight Black Metallic

Limited TRD Off Road

Lunar Rock

Magnetic Grey Metallic

Supersonic Red

Blueprint

AVAILABLE INTERIOR COLOURS

Black Cloth

Black SofTex

Grey SofTex









Competitive Comparison

TOYOTA

OPTIONAL PACKAGES

TUNDRA DOUBLE CAB SR

SR5

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- · Heated Leather Wrapped Steering Wheel
- Horsepower (kW): 389 (290)
- · Active Grille Shutters
- · Heated Front Seats

- 2-way Power Adjustable Driver and Passenger Lumbar Support
- Towing Capacity kg (lbs.): 5080 (11199)
- · Dual Zone Automatic Climate Control
- · Leather Wrapped Shift Knob
- 18" Alloy Wheels
- LED Fog Lamps

- 8-way Power Adjustable Driver and Passenger Seats
- Fuel Capacity litres (gal.): 122 (32)
- · Hill-start Assist Control (HAC)
- Trailer Brake Controller
- · Active Front Spoiler
- P265/70R18

SR5 TRD OFF ROAD

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Rear Shoulder Room mm (in.): 1585 (62.4)
- Dual Zone Automatic Climate Control
- Hill-start Assist Control (HAC)
- DAC (Downhill Assist Control)
- TRD Heated Steering Wheel
- · Active Grille Shutters
- · Heated Front Seats
- P265/70R18

- 2-way Power Adjustable Driver and Passenger Lumbar Support
- · Side Rail with Four Adjustable Tie Down Cleats
- Towing Capacity kg (lbs.): 5080 (11199)
- Rear Legroom mm (in.): 1057 (41.6)
- TRD Leather Wrapped Shift Knob
- TRD Off Road Shock Absorbers
- · Locking Rear Differential
- Crawl Control (CRAWL)
- TRD Front Grille

- 8-way Power Adjustable Driver and Passenger Seats
- · Intuitive Parking Assist with Auto Braking
- Fuel Capacity litres (gal.): 122 (32)
- · Blind Spot Monitoring with RCTA
- 18" Offroad Alloy Wheels
- Horsepower (kW): 389 (290)
- Trailer Brake Controller
- Multi-Terrain Select
- LED Fog Lamps

SR5 TRD SPORT

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Rear Shoulder Room mm (in.): 1585 (62.4)
- Dual Zone Automatic Climate Control
- Hill-start Assist Control (HAC)
- 20" Sport Alloy Wheels
- Trailer Brake Controller
- Heated Front Seats
- P265/60R20

- 2-way Power Adjustable Driver and Passenger Lumbar Support
- · Side Rail with Four Adjustable Tie Down Cleats
- Towing Capacity kg (lbs.): 5080 (11199)
- Rear Legroom mm (in.): 1057 (41.6)
- TRD Sport Tuned Shock Absorbers
- Horsepower (kW): 389 (290)
- · Active Grille Shutters
- TRD Front Grille

- 8-way Power Adjustable Driver and Passenger Seats
- · Intuitive Parking Assist with Auto Braking
- Fuel Capacity litres (gal.): 122 (32)
- Blind Spot Monitoring with RCTA
- TRD Leather Wrapped Shift Knob
- TRD Heated Steering Wheel
- Active Front Spoiler
- LED Fog Lamps

TUNDRA DOUBLE CAB LIMITED

LIMITED TRD OFF ROAD

- 18" Offroad Alloy Wheels
- TRD Off Road Shock Absorbers
- · Locking Rear Differential
- TRD Front Grille

- DAC (Downhill Assist Control)
- · Multi Terrain View Monitor
- Crawl Control (CRAWL)
- P265/70R18

- Remove: Active Front Spoiler
- TRD Heated Steering Wheel
- · Multi-Terrain Select







STANDARD SPECIFICATIONS ■ Standard — Not Available ↑ Available	ouble Cab SR 4X2 Regular E	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
SAFETY & CONVENIENCE					
SAFETY					
Driver & Passenger Airbag Supplemental Restraint System (SRS)	•	•	•	•	•
Driver and Front Passenger Knee Airbags	•	•	•	•	•
Roll-Sensing Front Head/Side Curtain Airbags	•	•	•	•	•
Front Seat Mounted Side Airbags	•	•	•	•	•
Child Protector Rear Door Locks	•	•	•	•	•
Backup Camera with Back Guide Monitor	•	•	•	•	•
Driver & Passenger Side B-Pillar Assist Grip, Passenger Side A-Pillar Assist Grip	•	•	•	•	•
Blind Spot Monitoring with RCTA	-	m=0	↑		•
Intuitive Parking Assist with Auto Braking	0-0	000	↑	-	•
STAR SAFETY SYSTEM					
Star Safety System: Anti-lock Brake System (ABS)	•	•	•	•	•
Star Safety System: Electronic Brake Force Distribution (EBD)	•	•	•	•	•
Star Safety System: Brake Assist (BA)	•	•	•	•	•
Star Safety System: Vehicle Stability Control (VSC)	•	•	•	•	•
Star Safety System: Smart Stop Technology (SST)	•	•	•	•	•
Star Safety System: Traction Control (TRAC)	•	•	•	•	•
TOYOTA SAFETY SENSE 2.5					
Automatic High Beam	•	•	•	•	•
Lane Departure Alert with Steering Assist	•	•	•	•	•
Left Turn Oncoming Vehicle Detection/Braking	•	•	•	•	•
Right/Left Turn Oncoming Pedestrian Detection /Braking	•	•	•	•	•
Lane Tracing Assist	•	•	•	•	•
Dynamic Radar Cruise Control	•	•	•	•	•
Pre-Collision System with Risk Avoidance Emergency Steering Assist	•	•	•	•	•
Pre-Collision System with Pedestrian Detection, Cyclist Detection and Night Time Pedestrian Detection	•	•	•	•	•
Sway Warning System	•	•	•	•	•
WARNING					
Tire Pressure Monitoring System with Auto Location	•	•	•	•	•
CONVENIENCE					
Smart Key w/Push Button Start	•	•			000





Competitive Comparison



STANDARD SPECIFICATIONS	Double Cab SR 4X2 Regular				Double Cab Limited
Standard — Not Available 🕈 Available	Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	
Power Door Locks	•	•	•	•	•
12Volt Accessory Power Outlet	•	•	•	•	•
Smart Key w/Push Button Start + Tailgate			•	•	•
Tailgate Release Bump Switch (located in driver's side taillight)		enes.	Green Common Com	-	•
Wireless Charging	5	E	esert .		•
SECURITY					
Anti-Theft Alarm System	•	•	•	•	•

INFOTAINMENT

TOYOTA MULTIMEDIA

SiriusXM Audio	•	•	•	•	•
Wireless Apple CarPlay Compatibility	•	•	•	•	•
HD Radio	•	•	•	•	•
Wireless Android Auto Compatibility	•	•	•	•	•
Toyota Assistant	•	•	•	•	•
6 Speakers	•	•	•	•	•
Drive Connect (Cloud Navigation, Intelligent Assistant, Destination Assist) - Paid Subscription Required	•	•	•	•	_
8" Toyota Multimedia	•	•	•	•	
Bluetooth Capability	•	•	•	•	•
Toyota Multimedia w/Service Con. (up to 10 yr. trial), Safety Con. (Up to 10 yr. trial) and Remote Con. (3 yr. trial)	•	•	•	•	_
14" Toyota Multimedia	-	0000			•
Toyota Multimedia w/ Service/Safety Con. (up to 10yr trial), Remote Con. (3yr trial), Drive Con. (3yr trial)	Greek Company			_	•
3 Year Trial of Drive Connect (Cloud Navigation, Intelligent Assistant, Destination Assist)			-		•
AUDIO					
USB Input/Charging Port	•	•	•	•	•

DIMENSIONS

DIMENSIONS

Length mm (in.)	5932 (233.5)	6412 (252.4)	5932 (233.5)	6412 (252.4)	5932 (233.5)
Width mm (in.)	2030 (79.9)	2030 (79.9)	2030 (79.9)	2030 (79.9)	2030 (79.9)
Height mm (in.)	1926 (75.8)	1926 (75.8)	1982 (78.0)	1982 (78.0)	1982 (78.0)
Wheelbase mm (in.)	3699 (145.6)	4179 (164.5)	3699 (145.6)	4179 (164.5)	3699 (145.6)
Seating Capacity	5	5	5	5	5
Ground Clearance mm (in.)	264 (10.4)	262 (10.3)	279 (11.0)	274 (10.8)	277 (10.9)
Front Headroom mm (in.)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)





Competitive Comparison



STANDARD SPECIFICATIONS	Double Cab SR 4X2 Regular	Cab SR 4X2 Regular	5 11 6 1 65	D 11 C 1 CD51	D 11 C 11: 1: 1
Standard — Not Available	Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
Rear Headroom mm (in.)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)
Front Legroom mm (in.)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)
Rear Legroom mm (in.)	1057 (41.6)	1057 (41.6)	846 (33.3)	846 (33.3)	846 (33.3)
Front Shoulder Room mm (in.)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)
Rear Shoulder Room mm (in.)	1611 (63.4)	1611 (63.4)	1611 (63.4)	1611 (63.4)	1611 (63.4)
Gross Vehicle Weight kg (lbs.)	3191.03 (7035.0)	3249.99 (7165.0)	3295.35 (7265.0)	3345.25 (7375.0)	3315.76 (7310.0)
Towing Capacity kg (lbs.)	3760 (8289)	3760 (8289)	3760 (8289)	5030 (11089)	5035 (11100)
Payload(GVWR-curb weight) kg (lbs.)*	880 (1940)	850 (1874)	855 (1885)	820 (1808)	825 (1819)
Base Curb Weight kg (lbs.)	2310.01 (5092.7)	2400.01 (5291.1)	2440.01 (5379.3)	2525.02 (5566.7)	2490.00 (5489.5)
Fuel Capacity litres (gal.)	85 (22)	85 (22)	85 (22)	122 (32)	122 (32)
Fuel Consumption - City/Highway/Combined L /100km	13.1/10.1/11.8	13.1/10.1/11.8	13.6/10.4/12.2	13.5/10.6/12.2	13.5/10.6/12.2
Fuel Consumption - City/Highway/Combined mpg	22/28/24	22/28/24	21/27/23	21/27/23	21/27/23
Horsepower (kW)	348 (260)	348 (260)	348 (256)	389 (290)	389 (290)
Approach Angle (Degrees)	23	23	21	21	21
Departure Angle (Degrees)	22	22	24	24	24
Cargo Bed Length			1982 (78.0)	2469 (97.2)	1982 (78.0)

POWERTRAIN & MECHANICAL

TRA	NSM	1ISS	ION

TRANSMISSION					
10-speed Direct Shift Automatic Transmission	•	•	•	•	•
BRAKES					
Electric Parking Brake (EPB)	•	•	•	•	•
ENGINE					
Intercooled	•	•	•	•	•
3.5 Litre Twin Turbo V6	•	•	•	•	•
Stop and Start Engine System (S&S)	•	•	•	•	•
SUSPENSION					
Independent Front Suspension	•	•	•	•	•
Rear Coil Springs	•	•	•	•	•
MECHANICAL FEATURES					
Tow Package - Heavy Duty Tow Hitch Receiver	•	•	•	•	•
Drive Mode Select (Sport, Eco and Normal Modes)		-		•	•
TRUCK BED					
Header rail	•	•	•	•	•
400 Watt (120V) Cargo Bed Power Outlet	-	-		-	•
Side Rail with Four Adjustable Tie Down Cleats		-	↑		•

INTERIOR







■ Standard — Not Available ↑ Available	ble Cab SR 4X2 Regular Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
NTERIOR MIRRORS					
Day and Night Mechanical Rear View Mirror	•	•	•	•	0000
lectrochromic Rear View Mirror w/Homelink (EC)					•
Rectioning Near View Linion W/Homeanix (26)					
LOORING					
ll Season Floor Mats	•	•	•	•	•
TEERING WHEEL					
ilt & Telescopic Steering Wheel	•	•	•	•	•
Heated Leather Wrapped Steering Wheel	0110		↑	•	•
CLIMATE CONTROL					
tear Seat Heater Ducts	•	•	•	•	•
single Zone Automatic Climate Control	•	•	•		-
ual Zone Automatic Climate Control		the state of the s	↑	•	•
VINDOWS					
ront Windshield Acoustic Glass	•	•	•	•	•
lectric Rear Window Defroster	•	•	•	•	•
ear Side Window Privacy Glass	•	•	•	•	•
ower Sliding Rear Window	•	•	•	•	•
lack Window Frame	•	•		-	-
ower Windows with Driver Side Auto Down	Green Common Com		•	•	•
NSTRUMENTATION					
.2-in. colour TFT Multi Information Display	•	•	•	•	•
Dil Pressure Gauge	•	•	•	•	•
/oltmeter	•	•	•	•	•
NITEDIOR LIGHTING					
NTERIOR LIGHTING					
luminated Entry	•	•	•	•	•
EATS					
abric Seats	•	•	•	•	
leated Front Seats	0.00	Closed Control	\uparrow	•	•
l-way Power Adjustable Driver and Passenger leats	the state of the s		\uparrow	•	•
-way Power Adjustable Driver and Passenger umbar Support	need .	_	\uparrow	•	•
entilated Front Seats		ener .		-	•
Priver Seat Memory System		Greek Control	-	-	•
ofTex Seats	G110	-	0000		•
RIM					
lver Inside Door Handle	Green Common		•	•	•





Competitive Comparison

TOYOTA
IOIOIA

STANDARD SPECIFICATIONS ■ Standard — Not Available ↑ Available	Double Cab SR 4X2 Regular Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
eather Wrapped Shift Knob	tind	_	↑	•	•
XTERIOR					
TIRES					
2245/75R18	•	•	•	-	_
2265/70R18	-	-	↑	•	↑
265/60R20	time	-	↑		•
VIPERS					
ariable Intermittent Wipers	•	•	•	•	•
/indshield Wiper De-Icer	•	•	•	•	•
XTERIOR MIRRORS					
ower Adjustable Heated Exterior Mirrors	•	•	•	•	•
1emory Mirrors	-	-	-	-	•
ower Folding Mirrors	-	-	gues .	-	•
ectrochromic Driver's Side View Mirror	0.000	000	0000	Give	•
XTERIOR LIGHTING					
i-Beam LED Headlamps	•	•	•	•	•
eadlamps with Manual Level Control	•	•	•	•	•
ED Daytime Running Lights	-	-	•	•	•
ED Fog Lamps		-	↑	•	•
EXTERIOR					
lack Mud Guards	•	•	•	•	•
active Grille Shutters	-	-	↑	•	•
active Front Spoiler		-	↑	•	•
VHEELS					
8" Styled Steel Wheels	•	•	•		
8" Alloy Wheels	-	-	↑	•	-
0" Alloy Wheels	-		-	Good	•
1ECHANICAL FEATURES					
art-Time 4WD	-	-	•	•	•
lill-start Assist Control (HAC)	-	-	↑	•	•
railer Brake Controller			↑	•	•
prive Mode Select (Sport, Eco and Normal Modes)	-	-	↑		-

OPTIONAL FEATURES

TRD Front Grille - - \uparrow - \uparrow





Competitive Comparison

тоуота

STANDARD SPECIFICATIONS	Double Cab SR 4X2 Regular				
Standard — Not Available	Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
DAC (Downhill Assist Control)		-	↑		↑
Crawl Control (CRAWL)		-	\uparrow	-	\uparrow
Multi-Terrain Select	0110	-	↑	-	↑
Locking Rear Differential	0110	-	↑	-	↑
TRD Off Road Shock Absorbers	0	-	↑		↑
18" Offroad Alloy Wheels	0	-	↑		↑
TRD Leather Wrapped Shift Knob	0	-	↑		-
TRD Heated Steering Wheel	0	-	↑		↑
TRD Sport Tuned Shock Absorbers	000	-	↑		-
20" Sport Alloy Wheels		-	↑	-	-
Remove: Active Front Spoiler		-	-	-	↑
Multi Terrain View Monitor	g==	-	-	Gues Gues	↑





Competitive Comparison



IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicle

- * Payload Capacity is the calculation of GWWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's
- ** Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

Connected Services (general mentions)

Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. Android Auto and Google Assistant are trademarks of Google LLC. A compatible customer phone pairing is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third-party wireless service provider. Toyota is not responsible for cellular network discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to change at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if applicable). Service subject to change at any time without notice. Terms of Use apoly. Service may vary by weblice and region. See usage or precautions and service limitations in Owner's Manual.

Drive Connect services not available in every city or roadway.

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration.

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your vehicle, over your shoulder and use your mirrors to confirm clearance.

Qi Wireless charging: Qi wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause burns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and or vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weigh your vehicle substance in the test of the properties of

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safety. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to detect a pedestrian and bicyclist shead of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclists, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System may not operate depending on the traffic conditions on the Intuitive Intersection Support will NOT detect pedestrians crossing the road in the same direction as the vehicle. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manneuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance system or a substitute for safe and attentive driving.

Dynamic Radar Cruise Control: Dynamic Radar Cruise Control is designed to assist the driver and is not a collision-avoidance system or a substitute for safe and attentive driving practices. System effectiveness depends on many factors such as weather, traffic and road conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors.

Blind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving

Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Canada Inc. reserves the right to make these changes without notice or obligation. The Toyota website toyota ca is updated regularly and it or your Toyota Dealer are your best source for up-to-date information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details.





Competitive Comparison

TOYOTA

MODELS



PACKAGE

Standard Package

L→ SR5

L→ SR5 TRD Sport

L₃ SR5 TRD Off Road

CrewMax SR5 L

PACKAGE

Standard Package

L→ TRD Off Road



PACKAGE

Standard Package

Limited TRD Off Road

CrewMax Limited L



PACKAGE

Standard Package

Limited TRD Off Road

CrewMax Platinum



PACKAGE

Standard Package

l Platinum 1794

CrewMax Platinum L



PACKAGE

Standard Package

L Platinum 1794

AVAILABLE EXTERIOR COLOURS

White

Celestial Silver Metallic

Smoked Mesquite

Blueprint

- Wind Chill Pearl
- Midnight Black Metallic
- Army Green

- Magnetic Grey Metallic
- Supersonic Red
- Lunar Rock

AVAILABLE INTERIOR COLOURS

Black Cloth

Black Leather

- Black SofTex
- Saddle Tan Leather

Grey SofTex











Competitive Comparison

ТОУОТА

OPTIONAL PACKAGES

TUNDRA CREWMAX SR

SR5

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- · Heated Leather Wrapped Steering Wheel
- Horsepower (kW): 389 (290)
- · Active Grille Shutters
- · Heated Front Seats
- Heated Front Seats

- 2-way Power Adjustable Driver and Passenger Lumbar Support
- Towing Capacity kg (lbs.): 5060 (11155)
- · Dual Zone Automatic Climate Control
- · Leather Wrapped Shift Knob
- 18" Alloy Wheels
- LED Fog Lamps

- 8-way Power Adjustable Driver and Passenger Seats
- Fuel Capacity litres (gal.): 122 (32)
- · Hill-start Assist Control (HAC)
- · Trailer Brake Controller
- · Active Front Spoiler
- P265/70R18

SR5 TRD OFF ROAD

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Towing Capacity kg (lbs.): 5060 (11155)
- · Blind Spot Monitoring with RCTA
- 18" Offroad Alloy Wheels
- Horsepower (kW): 389 (290)
- Trailer Brake Controller
- · Multi-Terrain Select
- LED Fog Lamps

- 2-way Power Adjustable Driver and Passenger Lumbar Support
- · Side Rail with Four Adjustable Tie Down Cleats
- · Fuel Capacity litres (gal.): 122 (32)
- · Hill-start Assist Control (HAC)
- DAC (Downhill Assist Control)
- · TRD Heated Steering Wheel
- · Active Grille Shutters
- · Heated Front Seats
- P265/70R18

- 8-way Power Adjustable Driver and Passenger Seats
- · Intuitive Parking Assist with Auto Braking
- · Dual Zone Automatic Climate Control
- TRD Leather Wrapped Shift Knob
- TRD Off Road Shock Absorbers
- · Locking Rear Differential
- Crawl Control (CRAWL)
- TRD Front Grille

SR5 TRD SPORT

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Towing Capacity kg (lbs.): 5060 (11155)
- · Blind Spot Monitoring with RCTA
- TRD Leather Wrapped Shift Knob
- TRD Heated Steering Wheel
- · Active Front Spoiler
- LED Fog Lamps

- 2-way Power Adjustable Driver and Passenger Lumbar Support
- Side Rail with Four Adjustable Tie Down Cleats
- Fuel Capacity litres (gal.): 122 (32)
- TRD Sport Tuned Shock Absorbers
- 20" Sport Alloy Wheels
- Trailer Brake Controller
- Heated Front Seats
- P265/60R20

- 8-way Power Adjustable Driver and Passenger Seats
- · Intuitive Parking Assist with Auto Braking
- Dual Zone Automatic Climate Control
- · Hill-start Assist Control (HAC)
- Horsepower (kW): 389 (290)
- Active Grille Shutters
- TRD Front Grille

TUNDRA CREWMAX SR5 L

TRD OFF ROAD

- Side Rail with Four Adjustable Tie Down Cleats
- TRD Leather Wrapped Shift Knob
- Remove: Active Front Spoiler
- Locking Rear Differential
- TRD Front Grille

- Intuitive Parking Assist with Auto Braking
- 18" Offroad Alloy Wheels
- TRD Off Road Shock Absorbers
- Crawl Control (CRAWL)

- Blind Spot Monitoring with RCTA
- DAC (Downhill Assist Control)
- TRD Heated Steering Wheel
- · Multi-Terrain Select





Competitive Comparison



TUNDRA CREWMAX LIMITED

LIMITED TRD OFF ROAD

- 18" Offroad Alloy Wheels
- TRD Off Road Shock Absorbers
- · Locking Rear Differential
- TRD Front Grille

- DAC (Downhill Assist Control)
- · Multi Terrain View Monitor
- Crawl Control (CRAWL)
- P265/70R18

- Remove: Active Front Spoiler
- TRD Heated Steering Wheel
- Multi-Terrain Select

TUNDRA CREWMAX LIMITED L

LIMITED TRD OFF ROAD

- 18" Offroad Alloy Wheels
- TRD Off Road Shock Absorbers
- · Locking Rear Differential
- TRD Front Grille

- DAC (Downhill Assist Control)
- Multi Terrain View Monitor
- Crawl Control (CRAWL)
- P265/70R18

- · Remove: Active Front Spoiler
- TRD Heated Steering Wheel
- · Multi-Terrain Select

TUNDRA CREWMAX PLATINUM

PLATINUM 1794

• 20" Machine-finished alloy wheels

• Chrome grille and exterior accents

• Real Walnut Wood Trim

TUNDRA CREWMAX PLATINUM L

PLATINUM 1794

• 20" Machine-finished alloy wheels

• Chrome grille and exterior accents

• Real Walnut Wood Trim







Chandrad Net Australia A A 1974	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum
Standard — Not Available						
SAFETY & CONVENIENCE						
SAFETY						
Driver & Passenger Airbag Supplemental Restraint System (SRS)	•	•	•	•	•	•
Driver and Front Passenger Knee Airbags	•	•	•	•	•	•
Roll–Sensing Front Head/Side Curtain Airbags	•	•	•	•	•	•
Front Seat Mounted Side Airbags	•	•	•	•	•	•
Child Protector Rear Door Locks	•	•	•	•	•	•
Backup Camera with Back Guide Monitor	•	•	•	•	0000	===
Driver & Passenger Side B-Pillar Assist Grip, Passenger Side A-Pillar Assist Grip	•	•	•	•	•	•
Blind Spot Monitoring with RCTA	↑	↑	•	•	•	•
Intuitive Parking Assist with Auto Braking	↑	↑	•	•	•	•
Panoramic View Monitor	-			-	•	•
STAR SAFETY SYSTEM						
Star Safety System: Anti-lock Brake System (ABS)	•	•	•	•	•	•
Star Safety System: Electronic Brake Force Distribution (EBD)	•	•	•	•	•	•
Star Safety System: Brake Assist (BA)	•	•	•	•	•	•
Star Safety System: Vehicle Stability Control (VSC)	•	•	•	•	•	•
Star Safety System: Smart Stop Technology (SST)	•	•	•	•	•	•
Star Safety System: Traction Control (TRAC)	•	•	•	•	•	•
TOYOTA SAFETY SENSE 2.5						
Automatic High Beam	•	•	•	•	•	•
Lane Departure Alert with Steering Assist	•	•	•	•	•	•
Left Turn Oncoming Vehicle Detection/Braking	•	•	•	•	•	•
Right/Left Turn Oncoming Pedestrian Detection/Braking	•	•	•	•	•	•
Lane Tracing Assist	•	•	•	•	•	•
Dynamic Radar Cruise Control	•	•	•	•	•	•
Pre-Collision System with Risk Avoidance Emergency Steering Assist	•	•	•	•	•	•
Pre-Collision System with Pedestrian Detection, Cyclist Detection and Night Time Pedestrian Detection	•	•	•	•	•	•
Sway Warning System	•	•	•	•	•	•
WARNING						
Fire Pressure Monitoring System with Auto Location	•	•	•	•	•	•
3						
CONVENIENCE						
Power Door Locks	•	•	•	•	•	•
12Volt Accessory Power Outlet	•	•	•	•	•	•





Competitive Comparison

®	
TOYOTA	

STANDARD SPECIFICATIONS						
Standard — Not Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Smart Key w/Push Button Start + Tailgate	•	•	•	•	•	•
Tailgate Release Bump Switch (located in driver's-side taillight)	-	Serve .	•	•	•	•
Wireless Charging	-	-	•	•	•	•
Trailer Backup Guide w/ Straight Path Assist	0000			0000	•	•
SECURITY						
Anti-Theft Alarm System	•	•	•	•	•	•

INFOTAINMENT

TOVOTA	MIII	TIMED	ΙА

SiriusXM Audio	•	•	•	•	•	•
Wireless Apple CarPlay Compatibility	•	•	•	•	•	•
HD Radio	•	•	•	•	•	•
Wireless Android Auto Compatibility	•	•	•	•	•	•
Toyota Assistant	•	•	•	•	•	•
Drive Connect (Cloud Navigation, Intelligent Assistant, Destination Assist) - Paid Subscription Required	•	•	-	_	-	
8" Toyota Multimedia	•	•	-	-	-	-
Bluetooth Capability	•	•	•	•	•	•
Toyota Multimedia w/Service Con. (up to 10 yr. trial), Safety Con. (Up to 10 yr. trial) and Remote Con. (3 yr. trial)	•	•	_	-	- Const	the state of the s
9 Speakers	•	•	•	•	-	-
14" Toyota Multimedia		-	•	•	•	•
Toyota Multimedia w/ Service/Safety Con. (up to 10yr trial), Remote Con. (3yr trial), Drive Con. (3yr trial)	-	-	•	•	•	•
3 Year Trial of Drive Connect (Cloud Navigation, Intelligent Assistant, Destination Assist)	_		•	•	•	•
12 Speaker JBL Audio System	-	-		-	•	•

DIMENSIONS

USB Input/Charging Port

DIMENSIONS

Length mm (in.)	5932 (233.5)	6237 (245.5)	5932 (233.5)	6237 (245.5)	5932 (233.5)	6237 (245.5)
Width mm (in.)	2032 (80.0)	2032 (80.0)	2030 (79.9)	2032 (80.0)	2032 (80.0)	2032 (80.0)
Height mm (in.)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)
Wheelbase mm (in.)	3701 (145.7)	4006 (157.7)	3699 (145.6)	4006 (157.7)	3701 (145.7)	4006 (157.7)
Seating Capacity	5	5	5	5	5	5
Ground Clearance mm (in.)	279 (11.0)	277 (10.9)	279 (11.0)	277 (10.9)	277 (10.9)	274 (10.8)
Front Headroom mm (in.)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)
Rear Headroom mm (in.)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)





Competitive Comparison

STANDARD SPECIFICATIONS

Standard — Not Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Front Legroom mm (in.)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)
Rear Legroom mm (in.)			1057 (41.6)	-	-	-
Front Shoulder Room mm (in.)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)
Rear Shoulder Room mm (in.)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)
Gross Vehicle Weight kg (lbs.)	3270.40 (7210.0)	3329.37 (7340.0)	3280.02 (7231.2)	3340.71 (7365.0)	3304.42 (7285.0)	3345.25 (7375.0)
Towing Capacity kg (lbs.)	3760 (8289)	4990 (11001)	5045 (11122)	4975 (10968)	5010 (11045)	4935 (10880)
Payload(GVWR-curb weight) kg (lbs.)*	825 (1819)	780 (1720)	790 (1742)	745 (1642)	755 (1664)	715 (1576)
Base Curb Weight kg (lbs.)	2445.00 (5390.3)	2550.01 (5621.8)	2490.00 (5489.5)	2595.01 (5721.0)	2550.01 (5621.8)	2630.02 (5798.2)
Fuel Capacity litres (gal.)	85 (22)	122 (32)	122 (32)	122 (32)	122 (32)	122 (32)
Fuel Consumption - City/Highway/Combined L/100km	13.6/10.4/12.2	13.5/10.6/12.2	13.5/10.6/12.2	13.5/10.6/12.2	13.5/10.6/12.2	13.5/10.6/12.2
Fuel Consumption - City/Highway/Combined mpg	21/27/23	21/27/23	21/27/23	21/27/23	21/27/23	21/27/23
Horsepower (kW)	348 (256)	389 (290)	389 (290)	389 (290)	389 (290)	389 (290)
Approach Angle (Degrees)	21	21	21	21	21	21
Departure Angle (Degrees)	24	24	24	24	24	24
Cargo Bed Length	1677 (66.0)	1982 (78.0)	1677 (66.0)	1982 (78.0)	1677 (66.0)	1982 (78.0)

POWERTRAIN & MECHANICAL

TRANSMISSION						
10-speed Direct Shift Automatic Transmission	•	•	•	•	•	•
BRAKES						
Electric Parking Brake (EPB)	•	•	•	•	•	•
ENGINE						
Intercooled	•	•	•	•	•	•
3.5 Litre Twin Turbo V6	•	•	•	•	•	•
Stop and Start Engine System (S&S)	•	•	•	•	•	•
Active Noise Control	-	-	-	0	•	•
SUSPENSION						
Independent Front Suspension	•	•	•	•	•	•
Rear Coil Springs	•	•	•	•	•	•
MECHANICAL FEATURES						
Tow Package - Heavy Duty Tow Hitch Receiver	•	•	•	•	•	•
Drive Mode Select (Sport, Eco and Normal Modes)	-	•	•	•	•	•
Trailer Backup Guide w/ Straight Path Assist	-	-	C==0	G==0	•	•
TRUCK BED						
Header rail	•	•	•	•	•	•

 \uparrow



400 Watt (120V) Cargo Bed Power Outlet

Side Rail with Four Adjustable Tie Down Cleats





Competitive Comparison

STANDARD SPECIFICATIONS

● Standard — Not Available ↑ Available CrewMax SR CrewMax SR5 L CrewMax Limited CrewMax Limited L CrewMax Platinum CrewMax Platinum L

INTERIOR

INTERIOR	MIRRORS
----------	---------

Day and Night Mechanical Rear View Mirror	•	•	-	-	-	-
Electrochromic Rear View Mirror w/Homelink (EC)	-	-	•	•	-	-
Digital Display Rear View Mirror with Homelink		-	-		•	•

FLOORING

				_
All Season Floor Mats			•	

STEERING WHEEL

Tilt & Telescopic Steering Wheel	•	•	•	•		-
Heated Leather Wrapped Steering Wheel	\uparrow	•	•	•	•	•
Power Tilt & Telescopic Steering Wheel	-	-	-	-	•	•

CLIMATE CONTROL

Rear Seat Heater Ducts	•	•	•	•	•	•
Single Zone Automatic Climate Control	•	-	-	-	-	-
Dual Zone Automatic Climate Control	↑	•	•	•	•	•

WINDOWS

Front Windshield Acoustic Glass	•	•	•	•	•	•
Electric Rear Window Defroster	•	•	•	•	•	•
Rear Side Window Privacy Glass	•	•	•	-	•	•
Power Windows with Driver Side Auto Down	•	•	•	•	•	•
Power Vertical Sliding Rear Window	•	•	•	•	•	•

INSTRUMENTATION

4.2-in. colour TFT Multi Information Display	•	•	•	•	-	-
Oil Pressure Gauge	•	•	•	•	•	•
Voltmeter	•	•	•	•	•	•
Full TFT LCD Gauge Cluster	-		_	-	•	•
Head-Up Display	-	-	-	-	•	•

INTERIOR LIGHTING

Illuminated Entry	•	•	•	•	•	
Ambient Lighting	-	-	-	-	•	•

SEATS

Support

Fabric Seats	•	•	-	-	-	-
Heated Front Seats	↑	•	•	•	•	•
8-way Power Adjustable Driver and Passenger Seats	↑	•	•	•	-	_
2-way Power Adjustable Driver and Passenger Lumbar						





тоуота

Explore Suita & Price	Compet	itive Companson				
STANDARD SPECIFICATIONS						
Standard — Not Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum I
Ventilated Front Seats			•	•	•	•
Driver Seat Memory System	-	0.00	•	•	•	•
SofTex Seats	-	0.00	•	•	-	-
Heated Rear Seats	-	0	0	-	•	•
Leather Seats	-	-	-	-	•	•
10-way Power Adjustable Driver Seat, 8-way Power Adjustable Passenger Seat	-				•	•
4-way Power Adjustable Driver and Passenger Lumbar Support	0000	ge	g-re-	g.,	•	•
Ventilated Rear Seats		0.00			•	•
TRIM						
Silver Inside Door Handle	•	•	•	•	•	•
Leather Wrapped Shift Knob	↑	•	•	•	•	•
EXTERIOR						
TIRES						
P245/75R18	•	Size Control		-		
P265/70R18	<u> </u>	•	<u> </u>	<u> </u>		
P265/60R20			•	•	•	•
WIPERS						
Variable Intermittent Wipers	•	•	•	•	-	-
Windshield Wiper De-Icer	•	•	•	•	•	•
Rain Sensing Wipers	-	-	-		•	•
EXTERIOR MIRRORS						
Power Adjustable Heated Exterior Mirrors	•	•	•	•	•	•
Memory Mirrors			•	•	•	•
Power Folding Mirrors	-	0.00	•	•		-
Electrochromic Driver's Side View Mirror			•	•	•	•
Power Extendable/Folding Towing Mirrors	-			000	•	•
EXTERIOR LIGHTING						
Bi-Beam LED Headlamps	•	•	•	•		
Headlamps with Manual Level Control	•	•	•	•		
LED Daytime Running Lights	•	•	•	•	•	•
LED Fog Lamps	↑	•	•	•	•	•
Auto Leveling Headlamp System					•	•
Premium Triple-Beam LED Headlamps	C	gue.	gues .	gues .	•	•
EXTERIOR						
Black Mud Guards	•	•	•	•	•	•
			•			





Explore



Competitive Comparison

T	ANI	DA	DD	CDE	CIE	CAT	IONS
ЭΙ.	MIN	D^{μ}	١ĸυ	SPE	СІГІ	CAI	CVIVI

Standard — Not Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Active Front Spoiler	↑	•	•	•	•	•
Panoramic Moonroof	-	-	•	•	•	•
WHEELS						
18" Styled Steel Wheels	•	_	_	Server Control	-	-
18" Alloy Wheels	↑	•	-		-	-
20" Alloy Wheels	-	-	•	•	•	•
MECHANICAL FEATURES						
Part-Time 4WD	•	•	•	•	•	•
Hill-start Assist Control (HAC)	↑	•	•	•	•	•
Trailer Brake Controller	\uparrow	•	•	•	•	•
Drive Mode Select (Sport, Eco and Normal Modes)	↑	-	-	-		

OPTIONAL FEATURES

OPTIONAL FEATURES						
TRD Front Grille	↑	↑	↑	↑	-	-
DAC (Downhill Assist Control)	↑	↑	↑	↑	-	_
Crawl Control (CRAWL)	↑	↑	↑	↑	-	_
Multi-Terrain Select	↑	↑	↑	↑	-	_
Locking Rear Differential	↑	↑	↑	↑	-	-
TRD Off Road Shock Absorbers	↑	↑	↑	↑	-	-
18" Offroad Alloy Wheels	↑	↑	↑	↑	-	-
TRD Leather Wrapped Shift Knob	↑	↑	-	-	-	-
TRD Heated Steering Wheel	↑	↑	↑	↑	-	-
TRD Sport Tuned Shock Absorbers	↑		-	-	-	-
20" Sport Alloy Wheels	↑		-	-	-	-
Remove: Active Front Spoiler	-	↑	↑	↑	-	-
Multi Terrain View Monitor	-	-	↑	↑	-	-
20" Machine-finished alloy wheels		-	-		↑	↑
Real Walnut Wood Trim		-	-		↑	↑
Chrome grille and exterior accents		-		00	↑	↑





Competitive Comparison



IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicle

- * Payload Capacity is the calculation of GWWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's
- ** Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

Connected Services (general mentions)

Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. Android Auto and Google Assistant are trademarks of Google LLC. A compatible customer phone pairing is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third-party wireless service provider. Toyota is not responsible for cellular network discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to change at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if applicable). Service subject to change at any time without notice. Terms of Use apoly. Service may vary by weblice and region. See usage or precautions and service limitations in Owner's Manual.

Drive Connect services not available in every city or roadway.

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration.

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your vehicle, over your shoulder and use your mirrors to confirm clearance.

Qi Wireless charging: Qi wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause burns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and or vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weigh your vehicle substance in the test of the properties of

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safety. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to detect a pedestrian and bicyclist shead of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclists, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System may not operate depending on the traffic conditions on the Intuitive Intersection Support will NOT detect pedestrians crossing the road in the same direction as the vehicle. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manneuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance system or a substitute for safe and attentive driving.

Dynamic Radar Cruise Control: Dynamic Radar Cruise Control is designed to assist the driver and is not a collision-avoidance system or a substitute for safe and attentive driving practices. System effectiveness depends on many factors such as weather, traffic and road conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors.

Blind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving

Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Canada Inc. reserves the right to make these changes without notice or obligation. The Toyota website toyota ca is updated regularly and it or your Toyota Dealer are your best source for up-to-date information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details





Competitive Comparison

тоуота

MODELS



PACKAGE

Standard Package

Limited TRD Off Road

Ly TRD Pro

CrewMax Limited L

PACKAGE

Standard Package

Limited TRD Off Road

CrewMax Platinum

PACKAGE

Standard Package

L 1794

└→ Platinum with Advanced Package

L₃ 1794 with Advanced Package



PACKAGE Standard Package

AVAILABLE EXTERIOR COLOURS

White

Celestial Silver Metallic

Solar Octane

Lunar Rock

Wind Chill Pearl

Midnight Black Metallic

Smoked Mesquite

Blueprint

Magnetic Grey Metallic

Supersonic Red

Army Green

AVAILABLE INTERIOR COLOURS

Black SofTex

Black Leather

Grey SofTex

Saddle Tan Leather

Cockpit Red SofTex

Black/White Semi-Aniline Leather











Competitive Comparison

OPTIONAL PACKAGES

TUNDRA HYBRID CREWMAX LIMITED

LIMITED TRD OFF ROAD

- $Xply^{TM}$ Armor high-strength engine, fuel tank and transfer case undercovers
- · Remove: Active Front Spoiler
- · TRD Heated Steering Wheel
- · Multi-Terrain Select

- · DAC (Downhill Assist Control)
- TRD Off Road Shock Absorbers
- · Locking Rear Differential
- · TRD Front Grille

- 18" Offroad Alloy Wheels
- · Multi Terrain View Monitor
- · Crawl Control (CRAWL)
- P265/70R18

TRD PRO

- TRD Pro Off-road Suspension with 1.1-in. front lift (2.5-in. FOX® Internal Bypass coil-overs and rear remote-reservoir shocks)
- TRD Pro Heritage 'TOYOTA' Grille w/ LED light bar
- 'TOYOTA' passenger-side dash panel badging
- 'TRD PRO' stamped tailgate
- Black Dual Exhaust w/ TRD logo
- · Auto Leveling Headlamp System
- TRD Pro Front Stabilizer Bar
- TRD Heated Steering Wheel
- · Crawl Control (CRAWL)
- TRD Skid Plate

- Xply™ Armor high-strength engine, fuel tank and transfer case undercovers
- TRD Pro Logo / technical camo pattern inserts on front seats
- · 'Technical Camouflage' exterior accents
- Front Headroom mm (in.): 998 (39.3)
- · Remove: Active Grille Shutters
- · Remove: Active Front Spoiler
- 12 Speaker JBL Audio System
- Smoked Headlamps/Foglamps
- · Multi-Terrain Select

- Fuel Consumption City/Highway/Combined L /100km: 12.9/11.6/12.3
- Fuel Consumption City/Highway/Combined mpg: 22/24/23
- 18" TRD Pro Black Forged BBS® Wheels
- Rear Headroom mm (in.): 937 (36.9)
- · DAC (Downhill Assist Control)
- Exterior Amber Marker Lights
- · Multi Terrain View Monitor
- · Locking Rear Differential · TRD Pro Hood Badge

• P285/65R18

TUNDRA HYBRID CREWMAX LIMITED L

LIMITED TRD OFF ROAD

- Xply[™] Armor high-strength engine, fuel tank and transfer case undercovers
- Remove: Active Front Spoiler
- · TRD Heated Steering Wheel
- · Multi-Terrain Select

- · DAC (Downhill Assist Control)
- TRD Off Road Shock Absorbers
- · Locking Rear Differential
- TRD Front Grille

- 18" Offroad Alloy Wheels
- · Multi Terrain View Monitor
- · Crawl Control (CRAWL)
- P265/70R18

TUNDRA HYBRID CREWMAX PLATINUM

1794

- 20" Machine-finished alloy wheels
- · Chrome grille and exterior accents
- Real Walnut Wood Trim

PLATINUM WITH ADVANCED PACKAGE

- · Load-leveling Rear Height Control Air Suspension
- Adaptive Variable Suspension (AVS)
- · Power Running Boards and Bed Step

1794 WITH ADVANCED PACKAGE

• Drive Mode Select (5 modes)

- Load-leveling Rear Height Control Air Suspension
- Power Running Boards and Bed Step
- Drive Mode Select (5 modes)



STANDARD SPECIFICATIONS





STANDARD SPECIFICATIONS	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
Standard — Not Available	Crewinax Limited	Crewinax Limited L	Crewinax Platinum	Crewinax Capstone
CAPETY O CONVENIENCE				
SAFETY & CONVENIENCE				
SAFETY				
Driver & Passenger Airbag Supplemental Restraint System (SRS)	•	•	•	•
Driver and Front Passenger Knee Airbags	•	•	•	•
Roll-Sensing Front Head/Side Curtain Airbags	•	•	•	•
Front Seat Mounted Side Airbags	•	•	•	•
Child Protector Rear Door Locks	•	•	•	•
Backup Camera with Back Guide Monitor	•	•		Direct Control of the
Oriver & Passenger Side B-Pillar Assist Grip, Passenger Side A-Pillar Assist Grip	•	•	•	•
Blind Spot Monitoring with RCTA	•	•	•	•
ntuitive Parking Assist with Auto Braking	•	•	•	•
Panoramic View Monitor	greet.	2000	•	•
STAR SAFETY SYSTEM				
Star Safety System: Anti-lock Brake System (ABS)	•	•	•	•
itar Safety System: Electronic Brake Force Distribution (EBD)	•	•	•	•
Star Safety System: Brake Assist (BA)	•	•	•	•
star Safety System: Vehicle Stability Control VSC)	•	•	•	•
Star Safety System: Smart Stop Technology (SST)	•	•	•	•
Star Safety System: Traction Control (TRAC)	•	•	•	•
TOYOTA SAFETY SENSE 2.5				
Automatic High Beam	•	•	•	•
Left Turn Oncoming Vehicle Detection/Braking	•	•	•	•
Right/Left Turn Oncoming Pedestrian Detection				
Braking	•	•	•	•
ane Tracing Assist	•	•	•	•
Dynamic Radar Cruise Control	•	•	•	•
Pre-Collision System with Risk Avoidance Emergency Steering Assist	•	•	•	•
Pre-Collision System with Pedestrian Detection, Cyclist Detection and Night Time Pedestrian Detection	•	•	•	•
Sway Warning System	•	•	•	•
VARNING				
ire Pressure Monitoring System with Auto ocation	•	•	•	•
CONVENIENCE				
Power Door Locks	•	•	•	•





Competitive Comparison

тоуота

STANDARD SPECIFICATIONS				
Standard — Not Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
12Volt Accessory Power Outlet	•	•	•	•
Smart Key w/Push Button Start + Tailgate	•	•	•	•
Tailgate Release Bump Switch (located in driver's-side taillight)	•	•	•	•
Wireless Charging	•	•	•	•
Power Fuel Lid Release	•	•	•	•
SECURITY				
Anti-Theft Alarm System	•	•	•	•

INFOTAINMENT

						IΑ

•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	-	Circle Ci
•	•	•	•
•	•	•	•
↑	gues	•	•
•	•	•	•
	•		

DIMENSIONS

DIMENSIONS

DIMENSIONS				
Length mm (in.)	5932 (233.5)	6237 (245.5)	5932 (233.5)	5932 (233.5)
Width mm (in.)	2032 (80.0)	2032 (80.0)	2032 (80.0)	2032 (80.0)
Height mm (in.)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)
Wheelbase mm (in.)	3701 (145.7)	4006 (157.7)	3701 (145.7)	3701 (145.7)
Seating Capacity	5	5	5	5
Ground Clearance mm (in.)	282 (11.1)	279 (11.0)	279 (11.0)	277 (10.9)
Front Headroom mm (in.)	1042 (41.0)	1042 (41.0)	998 (39.3)	998 (39.3)
Rear Headroom mm (in.)	978 (38.5)	978 (38.5)	937 (36.9)	937 (36.9)
Front Legroom mm (in.)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)
Rear Legroom mm (in.)	1057 (41.6)	1057 (41.6)	1057 (41.6)	1057 (41.6)
Front Shoulder Room mm (in.)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)
Rear Shoulder Room mm (in.)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)
Gross Vehicle Weight kg (lbs.)	3455.02 (7617.0)	3514.98 (7749.2)	3475.02 (7661.1)	3480.01 (7672.1)





Competitive Comparison

тоуота

5	I	16	ND	Αŀ	КD	SP	E	JIF	IC/	AΤ	Ю	NS	

Standard — Not Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
Towing Capacity kg (lbs.)	5067 (11171)	5005 (11034)	4995 (11012)	4690 (10340)
Payload(GVWR-curb weight) kg (lbs.)*	730 (1609)	750 (1653)	710 (1565)	675 (1488)
Base Curb Weight kg (lbs.)	2725.00 (6007.6)	2765.01 (6095.8)	2765.01 (6095.8)	2805.02 (6184.0)
Fuel Capacity litres (gal.)	122 (32)	122 (32)	122 (32)	122 (32)
Fuel Consumption - City/Highway/Combined L /100km	12.7/10.5/11.7	12.7/10.5/11.7	12.7/10.5/11.7	12.7/10.5/11.7
Fuel Consumption - City/Highway/Combined mpg	22/27/24	22/27/24	22/27/24	22/27/24
Horsepower (kW)	437 (325)	437 (325)	437 (325)	437 (325)
Approach Angle (Degrees)	21	21	21	21
Departure Angle (Degrees)	24	24	24	24
Cargo Bed Length	1677 (66.0)	1982 (78.0)	1677 (66.0)	1677 (66.0)

POWERTRAIN & MECHANICAL

TRA	NS	MIS	SSIC	N

10-speed Direct Shift Automatic Transmission	•	•	•	•
BRAKES				
Electric Parking Brake (EPB)	•	•	•	•

ENGINE

Intercooled	•	•	•	•
3.5 Litre Twin Turbo V6 Hybrid	•	•	•	•
Active Noise Control	-	0.00	•	•

SUSPENSION

Independent Front Suspension	•	•	•	•
5 Link Rear Suspension	•	•	•	•

MECHANICAL FEATURES

Tow Package - Heavy Duty Tow Hitch Receiver	•	•	•	•
Trailer Backup Guide w/ Straight Path Assist			•	•

TRUCK BED

Header rail	•	•	•	•
400 Watt (120V) Cargo Bed Power Outlet	•	•	•	•
Side Rail with Four Adjustable Tie Down Cleats	•	•	•	•

INTERIOR

INTERIOR MIRRORS

Electrochromic Rear View Mirror w/Homelink (EC)	•	•	G==0	_
Digital Display Rear View Mirror with Homelink	-	no.	•	•

FLOORING







TOYOTA
TOTOTA

STANDARD SPECIFICATIONS	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
Standard — Not Available	Crew lax Ellitted	Crew lax Limited L	Crew lax r tatiliani	Crew lax Capstone
All Season Floor Mats	•	•	•	•
STEERING WHEEL				
Tilt & Telescopic Steering Wheel	•	•	-	
Heated Leather Wrapped Steering Wheel	•	•	•	•
Power Tilt & Telescopic Steering Wheel	most	-	•	•
CLIMATE CONTROL				
Rear Seat Heater Ducts	•	•	•	•
Dual Zone Automatic Climate Control	•	•	•	•
WINDOWS				
Front Windshield Acoustic Glass	•	•	•	•
Electric Rear Window Defroster	•	•	•	•
Rear Side Window Privacy Glass	•	•	•	•
Power Windows with Driver Side Auto Down	•	•	•	•
Power Vertical Sliding Rear Window	•	•	•	•
Front Side Laminated Glass	ent .	000		•
INSTRUMENTATION	_			
Oil Pressure Gauge	•	•	•	•
Voltmeter	•	•	•	•
Full TFT LCD Gauge Cluster		•	•	•
Head-Up Display			•	•
INTERIOR LIGHTING				
Illuminated Entry	•	•	•	•
Ambient Lighting	ment	-	•	•
SEATS				
Heated Front Seats	•	•	•	•
8-way Power Adjustable Driver and Passenger Seats	•	•	-	-
2-way Power Adjustable Driver and Passenger Lumbar Support	•	•	-	-
Ventilated Front Seats	•	•	•	•
Driver Seat Memory System	•	•	•	•
SofTex Seats	•	•	0-0	mod .
Heated Rear Seats	Served .		•	•
Leather Seats	B100	-	•	-
10-way Power Adjustable Driver Seat, 8-way Power Adjustable Passenger Seat		_	•	•
4-way Power Adjustable Driver and Passenger Lumbar Support		_	•	•
Ventilated Rear Seats	2000		•	•





TOYOTA

STANDARD SPECIFICATIONS				
Standard — Not Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
Semi-Aniline Leather Seats	ment .	-	ene .	•
RIM				
eather Wrapped Shift Knob	•	•	•	•
Backlit "CAPSTONE" passenger-side instrument	and a			•
panel badge				
EXTERIOR				
IRES				
2265/70R18	↑	↑		
2265/60R20	•	•	•	
2265/50R22		Cont		•
AUDEDC				
VIPERS				
/ariable Intermittent Wipers	•	•	•	-
Vindshield Wiper De-Icer			•	•
tain Sensing Wipers		_	•	•
XTERIOR MIRRORS				
ower Adjustable Heated Exterior Mirrors	•	•	•	•
lemory Mirrors	•	•	•	•
ower Folding Mirrors	•	•		
lectrochromic Driver's Side View Mirror	•	•	•	•
Power Extendable/Folding Towing Mirrors		Comp.	•	•
EXTERIOR LIGHTING				
Bi-Beam LED Headlamps	•	•	mont .	
ED Daytime Running Lights	•	•	•	•
ED Fog Lamps	•	•	•	•
auto Leveling Headlamp System	↑		•	•
Premium Triple-Beam LED Headlamps	Desc.		•	•
sequential LED Tail Lamps		-	•	•
EXTERIOR Black Mud Guards	•	•	•	•
Active Grille Shutters	•	•	•	•
active Gritle Snutters	•	•	•	•
anoramic Moonroof	•	•	•	•
lood Badge	•	•	•	•
ailgate Release Bump Switch	•	•	•	•
arge Fuel Tank (122L)	•	•	•	•
Fechnical Camouflage' exterior accents	<u> </u>	_	•	•
Power Running Boards and Bed Step	2000	-		•





Competitive Comparison

TOYOTA

STANDARD	SPECIFICATIONS	

Standard — Not Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
WHEELS				
20" Alloy Wheels	•	•	•	_
22" Aluminum Alloy Wheels	Best .		-	•
MECHANICAL FEATURES				
Part-Time 4WD	•	•	•	•
Hill-start Assist Control (HAC)	•	•	•	•
Trailer Brake Controller	•	•	•	•
Drive Mode Select (Sport, Eco and Normal Modes)	•	•	•	•

OPTIONAL FEATURES

OPTIONAL FEATURES

OPTIONAL FEATURES				
TRD Front Grille	↑	↑	Greet Control	Green Common
DAC (Downhill Assist Control)	↑	↑	eme .	-
Crawl Control (CRAWL)	↑	↑	eme .	-
Multi-Terrain Select	↑	↑	eme .	-
Locking Rear Differential	↑	\uparrow		-
TRD Off Road Shock Absorbers	↑	↑	-	-
8" Offroad Alloy Wheels	↑	↑	-	-
TRD Heated Steering Wheel	↑	\uparrow	-	-
Remove: Active Front Spoiler	↑	\uparrow	-	-
Multi Terrain View Monitor	↑	↑	0000	emp
Xply™ Armor high-strength engine, fuel tank and transfer case undercovers	\uparrow	↑		-
TRD PRO' stamped tailgate	↑	G=0	Grest	G=0
Remove: Active Grille Shutters	↑	G=0	G==0	G=0
TRD Pro Hood Badge	↑	G==0	Greet Control	G==0
TRD Pro Front Stabilizer Bar	↑	B=0	Gireo	G==0
IRD Pro Off-road Suspension with 1.1-in. front ift (2.5-in. FOX* Internal Bypass coil-overs and rear remote-reservoir shocks)	\uparrow	-		_
Smoked Headlamps/Foglamps	↑	One O	C1000	C
TOYOTA' passenger-side dash panel badging	↑	_	eme .	-
P285/65R18	↑		eme .	-
8" TRD Pro Black Forged BBS® Wheels	↑		eme .	-
TRD Pro Logo / technical camo pattern inserts on front seats	↑	_		-
Exterior Amber Marker Lights	\uparrow	-	Greek Control	ment .
TRD Pro Heritage 'TOYOTA' Grille w/ LED light par	↑	_	E100	
TRD Skid Plate	\uparrow	-	Greek Control	ment .
Black Dual Exhaust w/ TRD logo	↑		000	





Competitive Comparison

STANDARD SPECIFICATIONS

Standard — Not Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
20" Machine-finished alloy wheels			↑	
Real Walnut Wood Trim		-	↑	-
Chrome grille and exterior accents	-	-	↑	
Drive Mode Select (5 modes)	-	-	↑	
Adaptive Variable Suspension (AVS)	-	-	↑	
Load-leveling Rear Height Control Air Suspension	See	Winds	↑	E







Competitive Comparison



IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicle

- * Payload Capacity is the calculation of GWWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's
- ** Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

Connected Services (general mentions)

Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. Android Auto and Google Assistant are trademarks of Google LLC. A compatible customer phone pairing is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third-party wireless service provider. Toyota is not responsible for cellular network discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to charge at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if applicable). Service subject to change at any time without notice. Terms of Use apoly. Service may vary by weblice and region. See usage or precautions and service limitations in Owner's Manual.

Drive Connect services not available in every city or roadway.

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration.

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your vehicle, over your shoulder and use your mirrors to confirm clearance.

Qi Wireless charging: Qi wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause hurns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and or vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weigh your vehicle substance in the test of the properties of

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safely. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to detect a pedestrian and bicyclist shead of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclists, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System may not operate depending on the traffic conditions on the Intuitive Intersection Support will NOT detect pedestrians crossing the road in the same direction as the vehicle. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manneuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance system or a substitute for safe and attentive driving.

Dynamic Radar Cruise Control: Dynamic Radar Cruise Control is designed to assist the driver and is not a collision-avoidance system or a substitute for safe and attentive driving practices. System effectiveness depends on many factors such as weather, traffic and road conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors.

Blind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving

Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM.

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Canada Inc. reserves the right to make these changes without notice or obligation. The Toyota website toyota ca is updated regularly and it or your Toyota Dealer are your best source for up-to-date information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details